



Self-contained ice maker - Sprayer system Daily production up to 73 kg

Brema's new Green Tech CB range offers self-contained ice machines for bench top, under bench or free-standing installation. These machines produce attractive, crystalline cubes weighing 23g which rapidly chill and enhance the appearance of any beverage.

The Brema CB640A-HCQ-DP is a free-standing ice cube machine that produces 72kg of ice per 24 hours and has storage capacity of 40kg.

The CB range of self-contained ice cube machines is the perfect fit for cafes, restaurants, hotels, bars and nightclubs.


► Features

- Resistant and crystal square cube
- AISI 304 SS Scotch Brite finish
- Tropical class +43°C rated
- Adjustable Stainless Steel feet
- Removable and cleanable antiscald filter
- Air cooling system
- Easy cleanable internal rounded surfaces
- HCFC-Free insulated storage
- RoHS Free
- Disappearing insulated door
- Electromechanical operation
- ON-OFF rocker switch
- Standard voltages
- HFC Free
- R290 environmentally friendly refrigerant
- Automatic Washing System
- Built in drain pump
- 40kg storage capacity
- Produces 23g square ice cubes



► Accessories

- Water inlet hose
- Drainage hose
- External water filter
- Pressure limiting valve
- Plastic ice scoop
- Adjustable stainless steel legs (4)



Green Tech Design



Side openings for better ventilation




Double water inlet
(W models only)



Plug-in electrical connection

► Ice cube size



Cube 23 grams
Dimensions H 31.5 x L 32.5

► Production 24h

| Air temp. | Water temp. | kg |
|-----------|-------------|----|
| 10° C | 7° C | 73 |
| 21° C | 15° C | 72 |
| 32° C | 21° C | 49 |

3 Years Warranty

► Certifications available for this model






B-Qube

CB640A-HCQ-DP



Self-contained ice maker - Sprayer system Daily production up to 73 kg



▶ Working conditions

- Location: **Indoor**

| | Min | Max |
|----------------------|---------------|---------------|
| Ambient temperature | +10°C | +43°C |
| Water temperature | +3°C | +32°C |
| Voltage | -10% | +10% |
| Water inlet pressure | 1bar (14 psi) | 6bar (84 psi) |



**WA DEALER
PRACTICAL PRODUCTS PTY LTD**

PH: 08 9302 1299
51 Paramount Dr Wangara WA 6065
sales@practicalproducts.com.au
www.practicalproducts.com.au

▶ Connections

All measures are referred to the rear bottom-left corner (W-H-Ø)

- ① Water in.: 116mm - 285mm - 3/4" ② Water out.: 54mm - 245mm - 24mm ③ Electrical connections.: 100mm - 252mm
④ Cond. water in.: 124mm - 208mm - 3/4" ④ Only for water cooling systems

▶ Technical Information

| | |
|-----------------------|---|
| Production in 24h | 72kg |
| Store capacity, up to | 40kg |
| Cooling system | A |
| Kind of cube | Q-23g |
| Refrigerant | R290 |
| Standard voltage | 240V - 50 Hz - 10A (lead with plug supplied) |

| | |
|-------------------------|--|
| Finish | AISI 304 stainless steel, scotch brite |
| Clearance | 100mm sides + back |
| Water consumption | A: 4 l/kg |
| Sizes (W-D-H) | 735 - 603 - 850 |
| Sizes with pack (W-D-H) | 780 - 640 - 1015 |
| Net weight | 67kg |
| Gross weight | 79kg |
| Energy consumption | 590W |
| Fuse | 10A |
| Electrical consumption | 21 kWh/100kg |

All the technical information need to be considered at the following conditions:
Sizes without feet
Standard Cube (23 g)
Ambient temperature +21°C
Water temperature +15°C
Electrical consumption at +32°C (standard voltage)
Average power consumption at +43°C (standard voltage)

Models and specifications are subject to change without notice