



## LG-540GE Large Single Glass Door Colourbond Upright Drink Fridge

### Quick Overview

Rebate available via NSW ESS program

- Fashionable Design With Led Lighting
- CFC-Free Insulation & Refrigerant
- Low-Energy Consumption
- High Cooling Efficiency
- Illuminated Canopy
- Vertical Fluorescent Lamp
- Easy Adjustable Shelves
- Self-Closing Glass Door
- External Door Handle
- 2 Layer Tempered Door Glass
- White Powder Coated Steel Plate
- Automatic Defrost And Condensate Evaporation
- Heavy Duty Castors With Brake
- Lock & Key

### Description

Large Single Glass Door Colourbond Upright Drink Fridge - LG-540GE

The stylish LG-540GE is one of our premier single upright fridge units that cools your stock. It can maintain the perfect temperature for your ice-cold drinks.

This slim fridge is a special fit for any restaurant, café, supermarket, takeaway store or bar needing a visually striking unit with easy, quick access.

Asides from the fashionable look the LG-540GE comes made with an illuminated canopy, self-closing door, a white powder coated steel plate, automatic defrost and heavy-duty castors.

A powerful compact fridge that slots well within any kitchen, workspace, or backroom.

Capacity: 540 Litre

Refrigerated: 2 to 8 ° C

Ambient: 38°C & 65% Rh

- Fashionable Design With Led Lighting
- CFC-Free Insulation & Refrigerant
- Low-Energy Consumption
- High Cooling Efficiency
- Illuminated Canopy
- Vertical Fluorescent Lamp
- Easy Adjustable Shelves
- Self-Closing Glass Door
- External Door Handle
- 2 Layer Tempered Door Glass
- White Powder Coated Steel Plate
- Automatic Defrost And Condensate Evaporation
- Heavy Duty Castors With Brake
- Lock & Key



**WA DEALER**  
**PRACTICAL PRODUCTS PTY LTD**

PH: 08 9302 1299  
51 Paramount Dr Wangara WA 6065  
sales@practicalproducts.com.au  
www.practicalproducts.com.au

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	83
Width (mm)	700
Depth (mm)	690
Height (mm)	2079
Packing Width (mm)	740
Packing Depth (mm)	750
Packing Height (mm)	2110
Power	240V; 335W

## Your Shipping Specifications

Net Weight (Kg)	83
Width (mm)	700
Depth (mm)	690
Height (mm)	2079
Packing Width (mm)	740
Packing Depth (mm)	750
Packing Height (mm)	2110
Power	240V; 335W